


IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Cancelled)

Claim 2 (Currently Amended): A thiazole according to Formula (I),



(I)

wherein R<sup>1</sup> is a moiety of the formula -NR<sup>5</sup>R<sup>6</sup>;

R<sup>2</sup>, R<sup>3</sup> and R<sup>5</sup> are selected independently from H, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl and C<sub>2</sub>-C<sub>6</sub>-alkynyl;

R<sup>4</sup> is selected from H, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl and C<sub>2</sub>-C<sub>6</sub>-alkynyl and NR<sup>8</sup>R<sup>9</sup> wherein R<sup>8</sup> and R<sup>9</sup> are independently selected from H, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkynyl, C<sub>1</sub>-C<sub>6</sub>-alkyl alkoxy carbonyl and C<sub>1</sub>-C<sub>6</sub>-alkyl acyloxy;

R<sup>6</sup> is

unsubstituted C<sub>1</sub>-C<sub>6</sub>-alkyl,

C<sub>2</sub>-C<sub>6</sub>-alkenyl,

C<sub>2</sub>-C<sub>6</sub>-alkynyl,

C<sub>1</sub>-C<sub>6</sub>-alkyl alkoxy,

C<sub>1</sub>-C<sub>6</sub>-alkyl acyl,

C<sub>1</sub>-C<sub>6</sub>-alkyl carboxy,

C<sub>1</sub>-C<sub>6</sub>-alkyl C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

C<sub>1</sub>-C<sub>6</sub>-alkyl heterocycloalkyl,

C<sub>1</sub>-C<sub>6</sub>-alkyl acylamino,  
C<sub>1</sub>-C<sub>6</sub>-alkyl amino,  
C<sub>1</sub>-C<sub>6</sub>-alkyl aminocarbonyl,  
C<sub>1</sub>-C<sub>6</sub>-alkyl alkoxy carbonyl,  
phenyl substituted by carboxy,  
2,5-dimethoxy phenyl,  
2-methoxy phenyl,  
3-methoxy phenyl,  
acetylamino phenyl,  
aminophenyl,  
dimethylamino phenyl,  
3-nitro phenyl,  
2-nitrophenyl,  
methylphenyl,  
bromophenyl,  
chlorophenyl,  
hydroxyphenyl,  
cyanophenyl,  
3-(1-hydroxyethyl) phenyl,  
hydroxamic acid phenyl,  
3-(N- hydroxycarbamimidoyl)-phenyl-4-yl,  
acetyl phenyl,  
benzyl piperazine carbonyl phenyl,  
phenyl optionally substituted with heteroaryl,  
aryl amino sulfonyl,

aryl sulfonyl,

fused phenyl,

aryl C<sub>1</sub>-C<sub>6</sub>-alkyl acyl,

3-pyridin,

4-pyridin,

methoxy pyridine,

chloro pyridine,

fluoro pyridine,

cyano pyridine,

acetamide pyridine,

fused pyridine,

unsubstituted C<sub>3</sub>-C<sub>8</sub> cycloalkyl,

pyridine-3-yl-methyl,

pyridine-4-yl-methyl,

2-(1 H-tetrazol-5-yl)ethyl,

2- (2-hydroxy-1,3,4-oxadiazol-5-yl)ethyl,

3-(2-hydroxy-1,3,4-oxadiazol-5-yl)propyl, or

3- (1 H-imidazol-1-yl)propyl;

or R<sup>5</sup> and R<sup>6</sup>, together with the carbon atoms they are linked to, form an unsubstituted  
5-8-membered saturated ring or aromatic ring containing optionally one or more heteroatoms  
selected from O, N and S C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkynyl, C<sub>1</sub>-C<sub>6</sub>-alkyl alkoxy, C<sub>1</sub>-  
C<sub>6</sub> alkyl acyl, C<sub>1</sub>-C<sub>6</sub>-alkyl carboxy, C<sub>1</sub>-C<sub>6</sub>-alkyl acylamino, C<sub>1</sub>-C<sub>6</sub>-alkyl amino, C<sub>1</sub>-C<sub>6</sub>-alkyl  
aminocarbonyl, C<sub>1</sub>-C<sub>6</sub>-alkyl alkoxycarbonyl phenyl 2,5-dimethoxy phenyl, 2-methoxy  
phenyl, 3-methoxy phenyl), acetyl amino phenyl aminophenyl, dimethyl amino phenyl, 3-nitro  
phenyl, 2-nitrophenyl), methylphenyl, bromophenyl, chlorophenyl, hydroxyphenyl,

~~cyanophenyl, 3-(1-hydroxyethyl)-phenyl, hydroxamic acid-phenyl, 3-(N-hydroxycarbamimidoyl)-phenyl-4-yl, acetyl-phenyl-benzyl-piperazine-carbonyl-phenyl-phenyl optionally substituted with heteroaryl-aryl-amino-sulfonyl, aryl-sulfonyl-fused-phenyl, C<sub>1</sub>-C<sub>6</sub>-alkyl-aryl, pyridine-3-yl-methyl, pyridine-4-yl-methyl, 2-(1H-tetrazol-5-yl)ethyl, 2-(2-hydroxy-1,3,4-oxadiazol-5-yl)ethyl, 3-(2-hydroxy-1,3,4-oxadiazol-5-yl)propyl and 3-(1H-imidazol-1-yl)propyl; C<sub>1</sub>-C<sub>6</sub>-alkyl-C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkyl-heterocycloalkyl, or R<sup>5</sup> and R<sup>6</sup>, together with the carbon atoms they are linked to, form a 5-8-membered saturated ring or aromatic ring containing optionally one or more heteroatoms selected from O, N and S; and~~

X is selected from S and O; as well as isomers thereof.

Claim 3 (Previously Presented): A thiazole according to claim 2 wherein R<sup>2</sup> is H.

Claim 4 (Previously Presented): A thiazole according to claim 2 wherein R<sup>3</sup> is methyl.

Claim 5 (Previously Presented): A thiazole according to claim 2 wherein R<sup>4</sup> is selected from C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl and C<sub>2</sub>-C<sub>6</sub>-alkynyl.

Claim 6 (Previously Presented): A thiazole according to claim 2 wherein R<sup>5</sup> is H and R<sup>6</sup> is selected from C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkynyl, and C<sub>1</sub>-C<sub>6</sub>-alkyl alkoxy.

Claim 7 (Currently Amended): A thiazole according to claim 2 wherein R<sup>5</sup> is H and R<sup>6</sup> is aryl-C<sub>1</sub>-C<sub>6</sub>-alkyl.

Claim 8 (Previously Presented): A thiazole according to claim 2 wherein R<sup>5</sup> is H.

Claim 9 (Currently Amended): A thiazole according to claim 1 wherein  $R^5$  is H and  $R^6$  is ~~selected from phenyl and pyridine~~.

Claim 10 (Previously Presented): A thiazole according claim 2 wherein  $R^5$  and  $R^6$ , together with the carbon atoms they are linked to, form a 5-8-membered saturated or aromatic ring containing optionally one or more heteroatoms selected from O, N and S.

Claim 11 (Previously Presented): A thiazole according claim 2 wherein  $R^1$  is –  
 $NR^5R^6$ ;  $R^2$  is H;  $R^3$  is methyl;  $R^4$  is selected from  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl and  $-NR^8R^9$  wherein  $R^8$  and  $R^9$  are independently selected from H,  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl and  $C_1$ - $C_6$ -alkyl alkoxycarbonyl;  $R^5$  is H and  $R^6$  is selected from  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl,  $C_2$ - $C_6$ -alkynyl,  $C_1$ - $C_6$ -alkyl alkoxy,  $C_1$ - $C_6$ -alkyl acyl,  $C_1$ - $C_6$ -alkyl carboxy,  $C_1$ - $C_6$ -alkyl acylamino,  $C_1$ - $C_6$ -alkyl amino,  $C_1$ - $C_6$ -alkyl aminocarbonyl,  $C_1$ - $C_6$ -alkyl alkoxycarbonyl,  $C_1$ - $C_6$ -alkyl  $C_3$ - $C_8$ -cycloalkyl and  $C_1$ - $C_6$ -alkyl heterocycloalkyl and X is S.

Claim 12 (Currently Amended): A thiazole according to claim 2 wherein  $R^1$  is –  
 $NR^5R^6$ ;  $R^2$  is H;  $R^3$  is methyl;  $R^4$  is selected from  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl and  $-NR^8R^9$  wherein  $R^8$  and  $R^9$  are independently selected from H,  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl and  $C_1$ - $C_6$ -alkyl alkoxycarbonyl;  $R^5$  is H and  ~~$R^6$  is selected from  $C_1$ - $C_6$ -alkyl aryl and  $C_1$ - $C_6$ -alkyl heteroaryl~~ and X is S.

Claim 13 (Previously Presented): A thiazole according to claim 2 wherein  $R^1$  is –  
 $NR^5R^6$ ;  $R^2$  is H;  $R^3$  is methyl;  $R^4$  is selected from  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl

and  $-NR^8R^9$  wherein  $R^8$  and  $R^9$  are independently selected from H,  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl and  $C_1$ - $C_6$ -alkyl alkoxycarbonyl;  $R^5$  is H and X is S.

Claim 14 (Currently Amended): A thiazole according to claim 2 wherein  $R^1$  is  $-NR^5R^6$ ;  $R^2$  is H;  $R^3$  is methyl;  $R^4$  is ~~selected from optionally substituted~~ an unsubstituted  $C_1$ - $C_6$ -alkyl,  ~~$C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl~~ and  $-NR^8R^9$  wherein  $R^8$  and  $R^9$  are independently selected from H,  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl and  $C_1$ - $C_6$ -alkyl alkoxycarbonyl;  $R^5$  is H and X is S.

Claim 15 (Currently Amended): A thiazole according to claim 2 wherein  $R^1$  is  $-NR^5R^6$ ;  $R^2$  is H;  $R^3$  is methyl;  $R^4$  is ~~selected from optionally substituted~~ an unsubstituted  $C_1$ - $C_6$ -alkyl,  ~~$C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl~~ and  $-NR^8R^9$  wherein  $R^8$  and  $R^9$  are independently selected from H,  $C_1$ - $C_6$ -alkyl,  $C_2$ - $C_6$ -alkenyl;  $C_2$ - $C_6$ -alkynyl and  $C_1$ - $C_6$ -alkyl alkoxycarbonyl;  $R^5$  and  $R^6$ , together with the carbon atoms they are linked to, form an optionally substituted 5-8-membered saturated or aromatic ring containing optionally one or more heteroatoms selected from O, N and S. and X is S.

Claim 16 (Cancelled)

Claim 17 (Currently Amended): A thiazole ~~according to claim 2,~~ selected from the group consisting of:

N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

~~N-[4-methyl-2-(pyridin-2-ylamino)-4,5-bi-1,3-thiazol-2-yl]acetamide;~~

N-(4'-methyl-2-morpholin-4-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[4'-methyl-2-(4-methylpiperazin-1-yl)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
Methyl 1-[2-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]piperidine-3  
carboxylate;  
N-{2-[4-(2-hydroxyethyl)piperidin-1-yl]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;  
N-(4'-methyl-2-pyrrolidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-[2-(3-hydroxypyrrolidin-1-yl)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[2-(tert-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(6-methoxypyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;  
N-{2-[(6-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(2-morpholin-4-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(2-piperidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(2-methoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-[2-(cyclohexylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{4'-methyl-2-[(3-morpholin-4-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;  
N-{4'-methyl-2-[(tetrahydrofuran-2-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;  
N-[2-(1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]formamide;  
N-{4-methyl-5-[2-(pyridin-3-ylamino)-1,3-thiazol-4-yl]-1,3-oxazol-2-yl} acetamide;  
N-{2-[(2-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(2-cyanoethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(3,3-diethoxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2,2-diethoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(2-oxo-2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(2-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alanine;  
4-[[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} butanoic acid;  
N-{2-[(2-chloropyridin-4-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-(5-[[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}pyridin-2-yl)  
acetamide;  
N-[2-(2,3-dihydro-1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]  
acetamide;  
N-(4'-methyl-2-[[2-(1-methylpyrrolidin-2-yl)ethyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;  
N-{4'-methyl-2-[(2-pyrrolidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-(4'-methyl-2-[[3-(2-oxopyrrolidin-1-yl)propyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;  
N-(2-[[2-(acetylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;  
N-(2-[[2-(dimethylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;  
N-{2-[(2-hydroxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-(2-[[3-(dimethylamino)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;  
N-{2-[(3-hydroxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N~3~-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alaninamide;  
N-{2-[(6-cyanopyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-[4'-methyl-2-(quinolin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[4'-methyl-2-(quinolin-5-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;



N-[4'-methyl-2-(quinolin-6-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[2-(cyclopentylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[2-(cyclopropylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(4-hydroxybutyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(3-pyrrolidin-1-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(1,1-dioxido-1-benzothien-6-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;  
N-(2-{[(1-ethylpyrrolidin-2-yl)methyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;  
N-{2-[(cyanomethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-[2-(isobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(2,2-dimethylpropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-(2-{[(cis)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-  
yl)acetamide;  
N-(2-{[(trans)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-  
yl)acetamide;  
N-[2-(sec-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(cyclopropylmethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-[2-(cyclobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[2-(2,3-dihydro-1H-inden-2-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]  
acetamide;  
methyl 4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino} butanoate;  
N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]urea; and  
N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)urea.

Claim 18 (Withdrawn): A method for treating a patient in need thereof, said patient having symptoms caused by at least one of the following conditions:

autoimmune disorders and/or inflammatory diseases, cardiovascular diseases, neurodegenerative diseases, bacterial or viral infections, kidney diseases, platelet aggregation, cancer, transplantation, graft rejection or lung injuries, said method comprising administering to said patient in need thereof a medicament comprising a thiozole according to claim 2.

Claim 19 (Withdrawn): A method according to claim 18, wherein said conditions are selected from the group essentially consisting of Alzheimer's disease, Huntington's disease, CNS trauma, stroke or ischemic conditions.

Claim 20 (Withdrawn): A method according to claim 18, wherein said conditions are selected from the group essentially consisting of multiple sclerosis, psoriasis, rheumatoid arthritis, multiple sclerosis, systemic lupus erythematosus, inflammatory bowel disease, lung inflammation, thrombosis or brain infection/inflammation such as meningitis or encephalitis.

Claim 21 (Withdrawn): A method according to claim 18, wherein said conditions are selected from the group essentially consisting of atherosclerosis, heart hypertrophy, cardiac myocyte dysfunction, elevated blood pressure or vasoconstriction.

Claim 22 (Withdrawn): A method according to claim 18, wherein said conditions are selected from the group essentially consisting of chronic obstructive pulmonary disease, anaphylactic shock fibrosis, psoriasis, allergic diseases, asthma, stroke or ischemic conditions, ischemia-reperfusion, platelets aggregation/activation, skeletal muscle

atrophy/hypertrophy, leukocyte recruitment in cancer tissue, angiogenesis, invasion metastasis, in particular melanoma, Kaposi's sarcoma, acute and chronic bacterial and viral infections, sepsis, graft rejection, glomerulo sclerosis, glomerulo nephritis, progressive renal fibrosis, endothelial and epithelial injuries in the lung or in general lung airways inflammation.

Claim 23 (Withdrawn): A method according to claim 18, wherein said administering results in a reduction of the PI3 kinase activity.

Claim 24 (Withdrawn): A method according to claim 23, wherein said PI3 kinase is a PI3 kinase  $\gamma$ .

Claim 25 (Withdrawn-Currently Amended): A method ~~according to claim 18~~ for treating a patient in need thereof, said patient having symptoms caused by at least one of the following conditions:

autoimmune disorders and/or inflammatory diseases, cardiovascular diseases, neurodegenerative diseases, bacterial or viral infections, kidney diseases, platelet aggregation, cancer, transplantation, graft rejection or lung injuries, said method comprising administering to said patient in need thereof a medicament comprising a thiozole ~~wherein the compound is selected from the group:~~

3- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino} benzoic acid;

4- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoic acid;

N-[2-(benzylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{4'-methyl-2-[(2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[4'-methyl-2-(pyridin-2-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(4-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(4-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(4-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
4-{[2'-(acetylamino)-4-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino} benzamide;  
N-[2-( {4-[(4-benzylpiperazin-1-yl)carbonyl]phenyl} amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-(2-amino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-(2-anilino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-(4'-methyl-2-morpholin-4-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-[4'-methyl-2-(4-methylpiperazin-1-yl)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
Methyl 1-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]piperidine-3-carboxylate;  
N-{2-[4-(2-hydroxyethyl)piperidin-1-yl]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-(4'-methyl-2-pyrrolidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-[2-(3-hydroxypyrrolidin-1-yl)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[2-(tert-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(6-methoxypyridin-3-yl)amino]-4-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(6-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(4-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(4-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(2-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(3-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(3-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(2-morpholin-4-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(2-piperidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(2-methoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-[2-(cyclohexylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{4'-methyl-2-[(3-morpholin-4-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;  
N-{4'-methyl-2-[(tetrahydrofuran-2-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-  
yl} acetamide;  
N-{2-[(2-hydroxy-2-phenylethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;  
N-[2-(1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(3-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]formamide;  
Ethyl N-([2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino)carbonyl)-beta-  
alaninate;  
N-{4-methyl-5-[2-(pyridin-3-ylamino)-1,3-thiazol-4-yl]-1,3-oxazol-2-yl} acetamide;  
N-{2-[(2-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(2-cyanoethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(3,3-diethoxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(2,2-diethoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(2-oxo-2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(2-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-{[3-(1,3-oxazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(4'-methyl-2-{[3-(1H-tetrazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(4'-methyl-2-{[4-(1H-tetrazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-{4'-Methyl-2-[2-(1H-tetrazol-5-yl)-ethylamino]-[4,5']bithiazolyl-2'-yl}-acetamide;  
N-(2-{[3-(5-hydroxy-1,3,4-oxadiazol-2-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-  
thiazol-2'-yl)acetamide;

N-(2-{[3-(5-amino-1,3,4-thiadiazol-2-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-  
2'-yl)acetamide;

N-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alanine;  
5-(2-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}ethyl)-1,3,4-  
oxadiazol-2-olate;

4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}butanoic acid;  
N-(2-{[3-(5-hydroxy-1,3,4-oxadiazol-2-yl)propyl]amino}-4'-methyl-4,5'-bi-1,3-  
thiazol-2'-yl)acetamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}-N-hydroxy  
benzamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}-N-hydroxy benzene  
carboximidic acid;

N-(2-{[3-(5-hydroxy-1,2,4-oxadiazol-3-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-  
thiazol-2'-yl)acetamide;

N-[2-(3-[(Z)-(2,4-dioxo-1,3-thiazolidin-5-ylidene)methyl]phenyl)amino]-4'-methyl-  
4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[4'-methyl-2-( {4-[(pyridin-2-ylamino)sulfonyl]phenyl} amino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-(2- { [2-(2-hydroxyethyl)phenyl]amino } -4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-(2- { [3-(hydroxymethyl)phenyl]amino } -4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-(2- { [4-(2-hydroxyethyl)phenyl]amino } -4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-[2-( {3-[(2-hydroxyethyl)sulfonyl]phenyl} amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-( {4-[(dimethylamino)sulfonyl]phenyl} amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-(2- { [3-(aminosulfonyl)phenyl]amino } -4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N- { 2-[(2-chloropyridin-4-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl } acetamide;

N-[4'-methyl-2-( {4-[(methylamino)sulfonyl]phenyl} amino)-4,5'-bi-1,3-thiazol-2'-yl] acetamide;

N-(5- { [2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino } pyridin-2-yl) acetamide;

N-[2-(2,3-dihydro-1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl] acetamide;

N-(4'-methyl-2- { [2-(1-methylpyrrolidin-2-yl)ethyl]amino } -4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N- { 4'-methyl-2-[(2-pyrrolidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl } acetamide;



N-(4'-methyl-2-{[3-(2-oxopyrrolidin-1-yl)propyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(2-{[2-(acetylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-(2-{[2-(dimethylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(2-hydroxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[2-(4-hydroxyphenyl)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(2-{[3-(dimethylamino)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-{2-[(3-hydroxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[3-(1H-imidazol-1-yl)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-3~-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]-beta-alaninamide;

N-{4'-methyl-2-[(2-methylprop-2-en-1-yl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(6-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(4-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(6-cyanopyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(3-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino} benzamide;

N-{4'-methyl-2-[(2-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{4'-methyl-2-[(3-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[4'-methyl-2-(quinolin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[4'-methyl-2-(quinolin-5-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[4'-methyl-2-(quinolin-6-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;



N-[2-(cyclopentylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[2-(cyclopropylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{4'-methyl-2-[(pyridin-3-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(4-hydroxybutyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-(4'-methyl-2-{[3-(methylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;  
N-{4'-methyl-2-[(3-pyrrolidin-1-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(1,1-dioxido-1-benzothien-6-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;  
N-(2-{[(1-ethylpyrrolidin-2-yl)methyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;  
N-{2-[(cyanomethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-[2-(isobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(2,2-dimethylpropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-(2-{[(cis)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-  
yl)acetamide;  
N-(2-{[(trans)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-  
yl)acetamide;  
N-[2-(sec-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{4'-methyl-2-[(pyridin-4-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-(4'-methyl-2-{[4-(morpholin-4-ylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;  
N-[2-({3-[(butylamino)sulfonyl]phenyl} amino)-4'-methyl-4,5'-bi-1,3-thiazol -2'-yl]  
acetamide;  
N-{2-[(cyclopropylmethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[2-(cyclobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-(2,3-dihydro-1H-inden-2-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]  
acetamide;

N-(4'-methyl-2- {[2-(methylsulfonyl)phenyl]amino} -4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(4'-methyl-2- {[2-(1H-1,2,4-triazol-1-yl)ethyl]amino} -4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(2- {[3-(1-hydroxyethyl)phenyl]amino} -4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

Methyl (4- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl)  
acetate;

Methyl N-(4- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)-  
beta-alaninate;

Methyl N-(4- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)  
glycinate;

Methyl 3-(3- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl)  
propanoate;

3-(4- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl) propanoic  
acid;

Methyl 4- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} butanoate;

Methyl (3- {[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl)  
acetate;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]urea;

N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]urea;

N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)urea;

N-(2-anilino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)urea;

N-{2-[(4-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}urea;

N-[2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}phenyl)acetic acid;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}benzoyl)-beta-alanine;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino} benzoyl)glycine;

3-(3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}phenyl) propanoic acid;

N-{2-[(4-ethoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-methylphenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(4-{[(4,6-dimethylpyrimidin-2-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-{[(5-methylisoxazol-3-yl)amino]sulfonyl}phenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]propanamide;

N-{2-[(4-{[(2,6-dimethoxypyrimidin-4-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-{[(5-methylisoxazol-3-yl)amino]sulfonyl}phenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}propanamide;

N-{2-[(4-{[(4,6-dimethylpyrimidin-2-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}propanamide;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}phenyl)acetamide;

N-{2-[(4-aminophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(2-ethylphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(2-methylphenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(4-bromophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-(2-{[4-(aminosulfonyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;  
N-{2-[(2,5-dimethoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(3-acetylphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; and  
N-(2-{[4-(dimethylamino)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide.

Claim 26 (Previously Presented): A pharmaceutical composition containing at least one thiazole derivative according to claim 2 and a pharmaceutically acceptable carrier, diluent or excipient thereof.

Claim 27 (New) A thiazole compound selected from the group consisting of:

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}benzoic acid;  
4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}benzoic acid;  
N-[2-(benzylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{4'-methyl-2-[(2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[4'-methyl-2-(pyridin-2-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(4-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{2-[(4-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;  
N-{4'-methyl-2-[(4-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

4-{{2'-(acetylamino)-4-methyl-4,5'-bi-1,3-thiazol-2'-yl}amino}benzamide;  
N-[2-({4-[(4-benzylpiperazin-1-yl)carbonyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-(2-anilino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-(4'-methyl-2-morpholin-4-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-[4'-methyl-2-(4-methylpiperazin-1-yl)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
Methyl 1-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]piperidine-3-carboxylate;  
N-{2-[4-(2-hydroxyethyl)piperidin-1-yl]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-(4'-methyl-2-pyrrolidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;  
N-[2-(3-hydroxypyrrolidin-1-yl)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-[2-(tert-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;  
N-{2-[(6-methoxypyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(6-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(4-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(4-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(2-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(2-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(3-chlorophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(3-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{4'-methyl-2-[(2-morpholin-4-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{4'-methyl-2-[(2-piperidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-{2-[(2-methoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;  
N-[2-(cyclohexylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{4'-methyl-2-[(3-morpholin-4-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;

N-{4'-methyl-2-[(tetrahydrofuran-2-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;

N-{2-[(2-hydroxy-2-phenylethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;

N-[2-(1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{2-[(3-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]formamide;

Ethyl N-([2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino) carbonyl)-beta-  
alaninate;

N-{4-methyl-5-[2-(pyridin-3-ylamino)-1,3-thiazol-4-yl]-1,3-oxazol-2-yl} acetamide;

N-{2-[(2-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-cyanoethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(3,3-diethoxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2,2-diethoxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{4'-methyl-2-[(2-oxo-2-phenylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-chloropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-{[3-(1,3-oxazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(4'-methyl-2-{[3-(1H-tetrazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(4'-methyl-2-{[4-(1H-tetrazol-5-yl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-{4'-Methyl-2-[2-(1H-tetrazol-5-yl)-ethylamino]-[4,5']bithiazolyl-2'-yl}-acetamide;

N-(2-{[3-(5-hydroxy-1,3,4-oxadiazol-2-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-(2-{[3-(5-amino-1,3,4-thiadiazol-2-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]-beta-alanine;

5-(2-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}ethyl)-1,3,4-oxadiazol-2-olate;

4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}butanoic acid;

N-(2-{[3-(5-hydroxy-1,3,4-oxadiazol-2-yl)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}-N-hydroxy benzamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}-N-hydroxy benzene carboximidic acid;

N-(2-{[3-(5-hydroxy-1,2,4-oxadiazol-3-yl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-[2-({3-[(Z)-(2,4-dioxo-1,3-thiazolidin-5-ylidene)methyl]phenyl}amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[4'-methyl-2-({4-[(pyridin-2-ylamino)sulfonyl]phenyl}amino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-(2-{[2-(2-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;

N-(2-{[3-(hydroxymethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)acetamide;



N-(2-{[4-(2-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-[2-({3-[(2-hydroxyethyl)sulfonyl]phenyl} amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-({4-[(dimethylamino)sulfonyl]phenyl} amino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-(2-{[3-(aminosulfonyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-{2-[(2-chloropyridin-4-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[4'-methyl-2-({4-[(methylamino)sulfonyl]phenyl} amino)-4,5'-bi-1,3-thiazol-2'-yl]  
acetamide;

N-(5-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino}pyridin-2-yl)  
acetamide;

N-[2-(2,3-dihydro-1-benzofuran-5-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]  
acetamide;

N-(4'-methyl-2-{[2-(1-methylpyrrolidin-2-yl)ethyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-{4'-methyl-2-[(2-pyrrolidin-1-ylethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-{[3-(2-oxopyrrolidin-1-yl)propyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(2-{[2-(acetylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-(2-{[2-(dimethylamino)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(2-hydroxyethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[2-(4-hydroxyphenyl)ethyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;



N-(2-{[3-(dimethylamino)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-{2-[(3-hydroxypropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[3-(1H-imidazol-1-yl)propyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N~3~-[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]-beta-alaninamide;

N-{4'-methyl-2-[(2-methylprop-2-en-1-yl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(2-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(6-fluoropyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(4-cyanophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(6-cyanopyridin-3-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(3-methoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]amino} benzamide;

N-{4'-methyl-2-[(2-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{4'-methyl-2-[(3-nitrophenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[4'-methyl-2-(quinolin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[4'-methyl-2-(quinolin-5-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[4'-methyl-2-(quinolin-6-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-(cyclopentylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-(cyclopropylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{4'-methyl-2-[(pyridin-3-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(4-hydroxybutyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-{[3-(methylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-{4'-methyl-2-[(3-pyrrolidin-1-ylpropyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-{2-[(1,1-dioxido-1-benzothien-6-yl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}  
acetamide;

N-(2-{[(1-ethylpyrrolidin-2-yl)methyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-{2-[(cyanomethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[2-(isobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{2-[(2,2-dimethylpropyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(2-{[(cis)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-  
yl)acetamide;

N-(2-{[(trans)-2-(hydroxymethyl)cyclohexyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-  
yl)acetamide;

N-[2-(sec-butylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-{4'-methyl-2-[(pyridin-4-ylmethyl)amino]-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-(4'-methyl-2-{[4-(morpholin-4-ylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-[2-({3-[(butylamino)sulfonyl]phenyl} amino)-4'-methyl-4,5'-bi-1,3-thiazol -2'-yl]  
acetamide;

N-{2-[(cyclopropylmethyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} acetamide;

N-[2-(cyclobutylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

N-[2-(2,3-dihydro-1H-inden-2-ylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]  
acetamide;

N-(4'-methyl-2-{[2-(methylsulfonyl)phenyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(4'-methyl-2-{[2-(1H-1,2,4-triazol-1-yl)ethyl]amino}-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide;

N-(2-{[3-(1-hydroxyethyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)

acetamide;

Methyl (4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl)

acetate;

Methyl N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)-

beta-alaninate;

Methyl N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)

glycinate;

Methyl 3-(3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl)

propanoate;

3-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl) propanoic

acid;

Methyl 4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} butanoate;

Methyl (3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} phenyl)

acetate;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]urea;

N-[4'-methyl-2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]urea;

N-(4'-methyl-2-piperidin-1-yl-4,5'-bi-1,3-thiazol-2'-yl)urea;

N-(2-anilino-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)urea;

N-{2-[(4-hydroxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl} urea;

N-[2-(pyridin-3-ylamino)-4,5'-bi-1,3-thiazol-2'-yl]acetamide;

(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl)acetic acid;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}benzoyl)-beta-

alanine;

N-(4-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino} benzoyl)glycine;

3-(3-{[2'-(acetylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl) propanoic acid;

N-{2-[(4-ethoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-methylphenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(4-{[(4,6-dimethylpyrimidin-2-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-{[(5-methylisoxazol-3-yl)amino]sulfonyl}phenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-[2-(allylamino)-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl]propanamide;

N-{2-[(4-{[(2,6-dimethoxypyrimidin-4-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(4-{[(5-methylisoxazol-3-yl)amino]sulfonyl}phenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}propanamide;

N-{2-[(4-{[(4,6-dimethylpyrimidin-2-yl)amino]sulfonyl}phenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}propanamide;

N-(4-{[2'-(acetylamino)-4-methyl-4,5'-bi-1,3-thiazol-2-yl]amino}phenyl)acetamide;

N-{2-[(4-aminophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(2-ethylphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{4'-methyl-2-[(2-methylphenyl)amino]-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(4-bromophenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-(2-{[4-(aminosulfonyl)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl) acetamide;

N-{2-[(2,5-dimethoxyphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide;

N-{2-[(3-acetylphenyl)amino]-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl}acetamide; and

N-(2- {[4-(dimethylamino)phenyl]amino}-4'-methyl-4,5'-bi-1,3-thiazol-2'-yl)  
acetamide.